



MCVP42

ZERO CLEARANCE **DIRECT VENT** PENINSULA GAS FIREPLACE



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

The unit illustrated is a MCVP42NH Peninsula Fireplace - Natural Gas, M42LG Log Grate, M42LOG4 Oak Log Set, MP42RLT Traditional Brick Liner.



MCVP42


ZERO CLEARANCE DIRECT VENT PENINSULA GAS FIREPLACE

| | | | | |
|----------------------|-----------------|-----------------|-----------------|-----------------|
| Model | MCVP42N/NE | MCVP42LP/LPE | MCVP42NH/NHE | MCVP42LPH/LPHE |
| Fuel | Natural | Propane | Natural | Propane |
| Gas Control | Millivolt / IPI | Millivolt / IPI | Millivolt / IPI | Millivolt / IPI |
| Input Max. | 30,250 BTU | 28,500 BTU | 31,250 BTU | 29,000 BTU |
| Input Min. | 21,000 BTU | 23,000 BTU | 21,250 BTU | 23,000 BTU |
| FE (P.4.1-02) | 53.5% / 54.6% | 54.8% / 55.9% | 64.8% / 66.6% | 66.3% / 68% |
| Glass Type | Tempered | Tempered | Ceramic | Ceramic |



STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- Safety Screen Barrier*



Safety Screen Barrier

OPTIONAL FEATURES

Porcelain Reflective Liner

Glass Tray
For use with Bronze Glass Media, Cannonballs, and Driftwood Log Set

Accent Lighting
For use with the Glass Tray

Log Set
Oak (8 piece) Set, and Driftwood (6 Piece) Set

Brick Refractory Liner
Traditional

Thermostat
Wall Mount Millivolt Thermostat or Programmable Thermostat

Remote Control
Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and light control.



The unit illustrated is a MCVP42NH Peninsula Fireplace - Natural Gas, MP42GT Glass Tray, ZG5C Glass Media - Bronze x (5), RBCB1 Cannonballs, MP42PL Porcelain Reflective Liner.



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

DESIGNER CLEAN VIEW™ FIREPLACES

Make the most of the best view in the house with our line of Zero Clearance Direct Vent Peninsula Gas Fireplaces. Ideally suited for new construction or renovations anywhere in your home.

OPTIONS



The unit illustrated is a MCVP42NH Peninsula Fireplace - Natural Gas, MP42GT Glass Tray, ZG5C Glass Media Bronze x (5), M42LOG3 Drift Wood Log Set, MP42PL Porcelain Reflective Panel.

STYLING



M42LOG4
Oak Log Set




M42LOG3
Driftwood Log Set



Multi-coloured
Cannonballs




Decorative
Ember Glass



Traditional
Brick Liner RLT

| | FRONT VIEW | SIDE VIEW | TOP VIEW |
|---|------------------------------------|----------------------------------|----------------------------------|
| A | 43 ¹ / ₁₆ " | - | - |
| B | 33 ¹¹ / ₁₆ " | - | - |
| C | 20 ⁵ / ₈ " | - | - |
| D | 23 ¹⁵ / ₁₆ " | - | - |
| E | 45 ³ / ₁₆ " | - | - |
| F | 8" | - | - |
| G | 1" | - | - |
| H | 7 ⁷ / ₈ " | - | - |
| I | 3" | - | - |
| J | - | 42 ¹ / ₄ " | - |
| K | - | 12 ¹ / ₄ " | - |
| L | - | 20 ⁵ / ₈ " | - |
| M | - | 16" | - |
| N | - | 19" | - |
| O | - | 24 ¹ / ₄ " | - |
| P | - | - | 23 ¹ / ₄ " |
| Q | - | - | 24 ¹ / ₂ " |



UNIT AND FRAMING SPECIFICATIONS (IN.)

| Top Flue Models | Height Actual | Height Framing | Width Actual | Width Framing | Depth Actual | Depth Framing |
|-----------------|----------------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|-----------------------------------|
| MCVP42 | 42 ¹ / ₄ " | 42 ³ / ₈ " | 43 ¹ / ₁₆ " | 42 ¹ / ₂ " | 24 ¹ / ₂ " | 23 ⁵ / ₁₆ " |



2340 Logan Avenue
Winnipeg, Manitoba, Canada R2R 2V3
Phone: (204) 632-1962 Fax: (204) 632-1960
www.kingsmanfireplaces.com

MCVP42

ZERO CLEARANCE DIRECT VENT PENINSULA GAS FIREPLACE



*Components may have to be ordered separately to create a complete unit. Discuss with your local Kingsman dealer for clarification.

Kingsman Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.
Certification: MCVP42N, MCVP42NE, MCVP42LP, MCVP42LPE are Certified to: ANSI Z21.50-2014, CSA 2.22-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace. MCVP42NH, MCVP42LPH, MCVP42NHE, MCVP42LPHE are Certified to: ANSI Z21.88-2014, CSA 2.53-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace Heater.