


MCVP42

ZERO CLEARANCE **DIRECT VENT** PENINSULA GAS FIREPLACE





MCVP42

ZERO CLEARANCE DIRECT VENT PENINSULA GAS FIREPLACE

Model Natural Fuel Gas Control Millivolt / IPI 30,250 BTU Input Max. 21,000 BTU Input Min. FE (P.4.1-15) 53% / 54.63% Glass Type Tempered

MCVP42N/NE Propane Millivolt / IPI 28,500 BTU 23,000 BTU Tempered

MCVP42LP/LPE 53.82% / 55.32% 64.55% / 66.49%

MCVP42LPH/LPHE Propane Millivolt / IPI 29,000 BTU 23,000 BTU 65.66% / 67.42% Ceramic



STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment

MCVP42NH/NHE

Natural

Millivolt / IPI

31.250 BTU

21,250 BTU

Ceramic

• Safety Screen Barrier



Safety Screen Barrier

OPTIONAL FEATURES

Porcelain Reflective Liner

Brick Refractory Liner Traditional

Glass Tray For use with Bronze Glass Media, Cannonballs, and Driftwood Log Set

Accent Lighting For use with the Glass Tray

Log Set Oak (8 piece) Set, and Driftwood (6 Piece) Set

Thermostat Wall Mount Millivolt Thermostat or Programmable Thermostat



Remote Control Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and light control.

Model MCVP42NH Peninsula Fireplace – Natural Gas, MP42GT Glass Tray, ZG5C Glass Media – Bronze x (5), RBCB1 Cannonballs, MP42PL Porcelain Reflective Liner.



DESIGNER CLEAN VIEW[™] FIREPLACES

Make the most of the best view in the house with our line of Zero Clearance Direct Vent Peninsula Gas Fireplaces. Ideally suited for new construction or renovations anywhere in your home.

OPTIONS



Model MCVP42NH Peninsula Fireplace – Natural Gas, MP42GT Glass Tray, ZG5C Glass Media Bronze x (5), M42LOG3 Drift Wood Log Set, MP42PL Porcelain Reflective Panel.

STYLING



M42LOG4 Oak Log Set



M42LOG3 Driftwood Log Set



RBCB1 Multi-colored Cannonballs




MP42RLT Traditional Brick Liner



MQG5C Decorative Ember Glass

FRONT VIEW		SIDE VIEW	TOP VIEW		
A	43 ¹ /16″	-	-		
В	3311/16"	-	-		
С	205/8″	-	-		
D	2315/16"	-	-		
Е	5 ³ /16″	-	-		
F	8″	-	-		
G	1″	-	-		
Н	7³/8″	-	-		
1	3″	-	-		
J	-	421/4"	-		
К	-	121/4"	-		
L	-	20 ⁵ /8″	-		
Μ	-	16″	-		
Ν	-	19″	-		
0	-	241/4"	-		
Ρ	-	-	231/4"		
Q	-	-	24 ¹ / ₂ "		



UNIT AND FRAMING SPECIFICATIONS (IN.)

Top Flue Models		Height Framing	Width Actual	Width Framing	- 1	Depth Framing
MCVP42	421/4"	42³/8″	431/16"	42 ¹ /2"	241/2"	235/16″



2340 Logan Avenue Winnipeg, Manitoba, Canada R2R 2V3 Phone: (204) 632-1962 Fax: (204) 632-1960 www.kingsmanfireplaces.com

MCVP42

ZERO CLEARANCE **DIRECT VENT** PENINSULA GAS FIREPLACE

