



# MCVST42

ZERO CLEARANCE **DIRECT VENT** SEE-THROUGH GAS FIREPLACE



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

Model MCVST42NH See-Through Fireplace – Natural Gas, M42LG Log Grate, M42LOG4 Oak Log Set, MST42RLT Traditional Brick Liner.



# MCVST42

ZERO CLEARANCE DIRECT VENT  
SEE-THROUGH GAS FIREPLACE

Model	MCVST42N/NE	MCVST42LP/LPE	MCVST42NH/NHE	MCVST42LPH/LPHE
<b>Fuel</b>	Natural	Propane	Natural	Propane
<b>Gas Control</b>	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
<b>Input Max.</b>	30,250 BTU	29,000 BTU	31,000 BTU	29,250 BTU
<b>Input Min.</b>	20,750 BTU	23,000 BTU	21,000 BTU	23,000 BTU
<b>FE (P.4.1-15)</b>	57.56% / 59.55%	58.56% / 55.32%	66.45% / 68.58%	67.88% / 70.36%
<b>Glass Type</b>	Tempered	Tempered	Ceramic	Ceramic

## STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- Safety Screen Barrier



## OPTIONAL FEATURES

### Fan Kit

Heat activated with variable speed control

### Surrounds

- Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)
- Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)
- Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)

### Porcelain Reflective Liner

### Brick Refractory Liner

Traditional

### Glass Tray

For use with Bronze Glass Media, Cannonballs, and Driftwood Log Set

### Accent Lighting

For use with the Glass Tray

### Log Set

Oak (8 piece) Set, and Driftwood (6 Piece) Set

### Thermostat

Wall Mount Millivolt Thermostat or Programmable Thermostat

### Remote Control

Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control



Model MCVST42NH See-Through Fireplace – Natural Gas, ZCV42S1PFBL Surround Picture Frame 4" Wide, MST42GT Glass Tray, ZG5C Glass Media – Bronze x (5), MST42PL Porcelain Liner.



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

# DESIGNER CLEAN VIEW™ FIREPLACES

Make the most of the best view in the house with our line of Zero Clearance Direct Vent See-Through Gas Fireplaces. Ideally suited for new construction or renovations anywhere in your home.

## OPTIONS



Model MCVST42NH See-Through Fireplace – Natural Gas, ZCV42S2PFBL Surround Picture Frame 1 5/8" Wide, MST42GT Glass Tray, ZG5C Glass Media – Bronze x (5), RBCB1 Cannonballs, MST42PL Porcelain Liner.

## STYLING



M42LOG4  
Oak Log Set



M42LOG3  
Driftwood Log Set



RBCB1 Multi-colored  
Cannonballs




MP42RLT Traditional  
Brick Liner



MQG5C Decorative  
Ember Glass

	FRONT VIEW	TOP VIEW	END VIEW
A	43 1/16"	-	-
B	37 1/16"	-	-
C	33 11/16"	-	-
D	27 3/16"	-	-
E	2 1/2"	-	-
F	32 1/2"	-	-
G	2"	-	-
H	3 1/8"	-	-
I	3 1/2"	-	-
J	7 1/4"	-	-
K	-	23 1/8"	-
L	-	24 1/4"	-
M	-	-	24 1/4"
N	-	-	51 1/4"
O	-	-	42 7/8"

## UNIT DIMENSIONS AND SPECIFICATIONS



## UNIT AND FRAMING SPECIFICATIONS (IN.)

Top Flue Models	Height Actual	Height Framing	Width Actual	Width Framing	Depth Actual	Depth Framing
MCVST42	51 1/4"	51 3/8"	43 1/16"	43 1/8"	24 1/4"	23 1/16"



2340 Logan Avenue  
Winnipeg, Manitoba, Canada R2R 2V3  
Phone: (204) 632-1962 Fax: (204) 632-1960  
[www.kingsmanfireplaces.com](http://www.kingsmanfireplaces.com)

# MCVST42

ZERO CLEARANCE DIRECT VENT SEE-THROUGH GAS FIREPLACE



Model MCVST42NH See-Through Fireplace – Natural Gas, MST42GT Glass Tray, ZG5C Glass Media – Bronze x(5), M42LOG3 Driftwood Log Set, MST42PL Porcelain Reflective Liner.



Canada

**ENERGUIDE**

Look for the **EnerGuide** Gas Fireplace Energy Efficiency Rating in this brochure

*Based on CSA P.4.1-15*



\*Components may have to be ordered separately to create a complete unit. Discuss with your local Kingsman dealer for clarification. Kingsman Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation. Certification: MCVST42N, MCVST42NE, MCVST42LP and MCVST42LPE are Certified to: ANSI Z21.50-2014, CSA 2.22-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace. MCVST42NH, MCVST42NHE, MCVST42LPH and MCVST42LPE are Certified to: ANSI Z21.88-2014, CSA 2.33-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace Heater.



**FOR CALIFORNIA RESIDENTS ONLY:**  
**WARNING!** This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



CRAFTED ENTIRELY IN CANADA, EACH KINGSMAN FIREPLACE IS BUILT TO THE HIGHEST STANDARDS AND MADE TO LAST.

Printed in Canada  
09/18 – B085