



ZDV3318 & ZCV3622

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

Model ZCV3622N Zero Clearance Direct Vent Natural Gas Fireplace, LOGC51 Oak Log Set, ZCV3622ML Metal Brick Liner, and ZCV36S1BL Black Surround.



ZDV3318 & ZCV3622

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

Enjoy the elegance and warmth of glowing embers and dancing flames around our traditional oak log set. It is sure to be the focal point of your home. Choose from a variety of decorative options to create your own distinctive appearance and be assured of complete safety, comfort and long lasting value. With a fully sealed combustion chamber there is no pollution spillage to depreciate the indoor air quality of your home.

Take advantage of
the fully dedicated
Clean View Unit!



STANDARD FEATURES*

- Hi/low Millivolt or IPI valve system, will operate during power failures
- Proprietary burner, with realistic burn
- Mobile Home, Bedroom and Bed Sitting Room approved
- Safety Screen Barrier



Safety Screen Barrier

OPTIONAL FEATURES

Designer Clean View Circulating Kit – (ZDV3318 only)

No louvers required

Grills– (ZDV3318 only)

Available in Black

Surrounds Wide (Louvered Units) – (ZDV3318 only)

Available in Black

Coverage • ZDV3318 – 31 3/16" h x 36 5/8" w

Surround – Black – (ZCV3622 only)

Covers Framing Dimensions (39" w x 34 1/16" h)

Fan Kit

Heat activated with variable speed control

Wall Mount Thermostat

Standard On/Off or Programmable
5 day (weekday) and 2 day (weekend)

Remote Control

On/Off, Thermostat On/Off,
Thermostat On/Off modulating



Liners

Porcelain Reflective Liner,
Metal Brick Liner

Log Set

LOGC50 Oak Log Set (ZDV3318 only)
LOGC51 Oak Log Set (ZCV3622 Only)



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

Model ZCV3622N Zero Clearance Direct Vent Natural Gas Fireplace,
LOGC51 Oak Log Set, ZCV3622PRL Porcelain Reflective Liners.

CLEAN VIEW OR LOUVERED FIREPLACES

Model	ZDV3318N/NE	ZDV3318LP/LPE	ZCV3622N/NE	ZCV3622LP/LPE
Fuel	Natural	Propane	Natural	Propane
Input Max.	19,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU
Input Min.	12,100 BTU	11,900 BTU	13,000 BTU	15,000 BTU
FE (P.4.1-15)	51.72% / 54.25%	55.49% / 57.91%	60.54% / 63.46%	62.09% / 65.09%

UNIT AND FRAMING SPECIFICATIONS (IN.)

Top Flue Models	Height Actual	Height Framing	Width Actual	Width Framing	Depth Actual	Depth Framing
-----------------	---------------	----------------	--------------	---------------	--------------	---------------



LOUVERS (ZDV3318 model only)

ZDV3318	30 ¹ / ₂ "	31"	32 ³ / ₈ "	33"	15 ³ / ₄ "	15 ¹ / ₄ "
---------	----------------------------------	-----	----------------------------------	-----	----------------------------------	----------------------------------

CLEAN VIEW

ZDV3318*	30 ³ / ₈ "	33 ³ / ₈ "	33 ⁹ / ₁₆ "	33 ⁷ / ₈ "	18 ³ / ₁₆ "	17 ³ / ₄ "
ZCV3622	33 ¹ / ₂ "	37 ¹ / ₄ "	36"	36 ³ / ₈ "	17 ⁷ / ₁₆ "	17 ¹ / ₂ "

*ZDV3318 and Z33CVCK Clean View Kit





2340 Logan Avenue
Winnipeg, Manitoba, Canada R2R 2V3
Phone: (204) 632-1962 Fax: (204) 632-1960
www.kingsmanfireplaces.com

Enjoy an incredible line of options and styles – from contemporary to classic – plus the beauty and pleasure of a cozy fire.



Canada

ENERGUIDE

Look for the **EnerGuide**
Gas Fireplace Energy
Efficiency Rating in this brochure

Based on CSA P.4.1-15

Model ZCV3622N Zero Clearance Direct Vent Natural Gas Fireplace, LOGC51 Oak Log Set, ZCV3622PRL Porcelain Reflective Liners.



*Components may have to be ordered separately to create a complete unit. Discuss with your local Kingsman dealer for clarification.
Kingsman Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation. Certification: The models ZDV3318 and ZCV3622 are certified for USA/Canada. Certified to: ANSI Z21.88-2014, CSA 2.35-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace Heaters.



FOR CALIFORNIA RESIDENTS ONLY:
WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.



CRAFTED ENTIRELY IN CANADA, EACH KINGSMAN FIREPLACE IS BUILT TO THE HIGHEST STANDARDS AND MADE TO LAST.

Printed in Canada
09/18 – B089