


MCVST42

ZERO CLEARANCE **DIRECT VENT** SEE-THROUGH GAS FIREPLACE





MCVST42

ZERO CLEARANCE DIRECT VENT SEE-THROUGH GAS FIREPLACE

Model Fuel Gas Control Input Max. Input Min. FE (P.4.1-15) Glass Type

MCVST42N/NE Natural Millivolt / IPI 30,250 BTU 20,750 BTU 57.56% / 59.55% Tempered

MCVST42LP/LPE Propane Millivolt / IPI 29.000 BTU 23,000 BTU 58.56% / 55.32% Tempered

Natural Millivolt / IPI 31.000 BTU 21,000 BTU 66.45% / 68.58% Ceramic

MCVST42NH/NHE MCVST42LPH/LPHE Propane Millivolt / IPI 29,250 BTU 23,000 BTU 67.88% / 70.36% Ceramic

STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- Safety Screen Barrier



OPTIONAL FEATURES

Fan Kit

Heat activated with variable speed control

Surrounds

- Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)
- Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)
- Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)
- Porcelain Reflective Liner

Brick Refractory Liner

Traditional

Glass Tray

For use with Bronze Glass Media, Cannonballs, and Driftwood Log Set

Accent Lighting For use with the Glass Tray

Log Set Oak (8 piece) Set, and Driftwood (6 Piece) Set

Thermostat Wall Mount Millivolt Thermostat or Programmable Thermostat

Remote Control Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control

Model MCVST42NH See-Through Fireplace – Natural Gas, ZCV42S1PFBL Surround Picture Frame 4" Wide, MST42GT Glass Tray, ZG5C Glass Media - Bronze x (5), MST42PL Porcelain Liner.



DESIGNER CLEAN VIEW[™] FIREPLACES

Make the most of the best view in the house with our line of Zero Clearance Direct Vent See-Through Gas Fireplaces. Ideally suited for new construction or renovations anywhere in your home.

OPTIONS



Model MCVST42NH See-Through Fireplace – Natural Gas, ZCV42S2PFBL Surround Picture Frame 1 5/8" Wide, MST42GT Glass Tray, ZG5C Glass Media - Bronze x (5), RBCB1 Cannonballs, MST42PL Porcelain Liner.

STYLING



M42LOG4 Oak Log Set

Brick Liner




M42LOG3 Driftwood Log Set



MP42RLT Traditional




RBCB1 Multi-colored Cannonballs




MQG5C Decorative Ember Glass

FRONT VIEW		TOP VIEW	END VIEW	
A	43 ¹ / ₁₆ "	-	-	
В	37 ¹ / ₁₆ "	-	-	
С	33 11/16"	-	-	
D	27 3/16"	-	-	
E	2 1/2"	-	-	
F	32 ¹ /2"	-	-	
G	2″	-	-	
Н	3 ¹ / ₈ "	-	-	
1	3 ¹ / ₂ "	-	-	
J	7 ¹ / ₄ "	-	-	
К	-	23 ¹ /8"	-	
L	-	24 ¹ /4"	-	
Μ	-	-	24 ¹ /4"	
Ν	-	-	51 ¹/4"	
0	-	-	42 7/8"	



AND SPECIFICATIONS

UNIT DIMENSIONS



UNIT AND FRAMING SPECIFICATIONS (IN.)


Top Flue Models		Height Framing	Width Actual	Width Framing		Depth Framing
MCVST42	51 ¹ /4"	51 ³⁄s″	43 ¹ /16"	43 ¹ /8"	24 ¹ /4"	23 ¼16″



2340 Logan Avenue Winnipeg, Manitoba, Canada R2R 2V3 Phone: (204) 632-1962 Fax: (204) 632-1960 www.kingsmanfireplaces.com

MCVST42

ZERO CLEARANCE DIRECT VENT SEE-THROUGH GAS FIREPLACE





Printed in Canada 10/19 – B085