

ZCV3622

ZERO CLEARANCE **DIRECT VENT** GAS FIREPLACE



ZCV3622ML Metal Brick Liner, and ZCV36S1BL Surround (Hearth Mount – Black).



ZCV3622

ZERO CLEARANCE **DIRECT VENT**GAS FIREPLACE



CLEAN VIEW FIREPLACES

Take advantage of the fully dedicated Clean View Unit! Model

ZCV3622N ZCV3622NE Natural

ZCV3622LPE Propane 18,000 BTU

ZCV3622LP

 Fuel
 Natural

 Input Max.
 18,000 BTU

 Input Min.
 13,000 BTU

 FE (P.4.1-15)
 60.54% / 63.46%

15,000 BTU 15,000 BTU 62.09% / 65.09%

STANDARD FEATURES

- Hi/low Millivolt or IPI valve system, will operate during power failures
- Proprietary burner, with realistic burn
- Mobile Home, Bedroom and Bed Sitting Room approved
- Safety Screen Barrier



Safety Screen Barrier

15 E9 - -

OPTIONAL FEATURES

Surround – Hearth Mount, Black

Coverage: 39"W x 34 1/16"H

Surround - Flat, Black

Coverage: 37 1/4"H x 40 7/8"W

Fan Kit

Heat activated with variable speed control

Wall Mount Thermostat

Standard On/Off or Programmable 5 day (weekday) and 2 day (weekend)

Remote Control

Thermostat On/Off, Thermostat On/Off modulating

Liners

Porcelain Reflect

Wall Mount Battery Holder (WMBH)

The battery holder provides power to the IPI system in case of power failures. Locating the battery holder outside of the fireplace (wall mount), provides a convenient and accessible location for battery installation and removal.

Log Set

LOGC51 Oak Log Set

STYLING



Porcelain Reflective Liner (PL)




Metal Brick Liner (ML)



LOGC51 Log Set (Oak)

UNIT AND FRAMING SPECIFICATIONS

Top Flue Models		Height Framing		Width Framing	Depth Actual	Depth Framing
CLEAN VIEW ZCV3622	33 ¹ /2"	37 ¹ /4"	36"	36³/8″	17 ⁷ /16"	17 ¹ /2"



SURROUND OPTIONS







ZCV36SWFBLFlat Surround





2340 Logan Avenue Winnipeg, Manitoba, Canada R2R 2V3 Phone: (204) 632-1962 Fax: (204) 632-1960 www.kingsmanfireplaces.com

Enjoy an incredible line of options and styles – from contemporary to classic – plus the beauty and pleasure of a cozy fire.

